



Clean up your World[™] with Billy Goat[®]!

Welcome and thank you for your interest in Billy Goat! For over 45 years, Billy Goat has been the leader in making properties across the globe look fantastic. The equipment in this catalogue represents the best in specialty turf products with close attention to detail — both big and small alike — in an effort to make Billy Goat products simple to operate, highly productive and less fatiguing.

Inside you will find innovative features like advanced fan technology in our blowers; hydrostatic drive systems and intuitive controls in our brush cutter and sod cutter that take the guesswork out of ground speed and direction; and customer-friendly ergonomics that reduce noise, weight, dust and vibration across the line.

Rest assured that Billy Goat products are customer focused, engineered and rigorously field tested to our customer's high specifications which is why they are known for their outstanding durability and rugged performance year after year.

When it comes to cleaning up, Billy Goat features leading solutions for all your residential, commercial, and council cleanup needs. We invite you to review our catalogue, refer to our web site, watch our videos and work with our network of stocking and servicing dealers to pick the machine that is right for your cleanup application, property or season.


The Billy Goat Team


















LB352

Part No. 883059

Whether it be clearing leaves in the autumn or cleaning up general debris in the garden throughout the year, the Little Billy has for many years been a favourite tool of the serious hobby gardener.

Fitted with a Briggs & Stratton 500E Series™ engine and a 51 cm sweep width the Little Billy is ideal for grounds of up to half an acre and equally at home on either close mown turf or hard standing. Lawns, patios, pool surrounds, tennis courts and driveways are all natural habitats for this goat. Ingenious vacuum design even allows you to pick up from gravel drives (without picking up the gravel!) and the optional wander hose facilitates easy removal of light debris from borders, flowerbeds, etc.



The unit features:

- Briggs & Stratton 500E Series™ engine
- 51 cm Nozzle width
- · Height Adjustment on front wheels
- Folding handle
- Optional wander hose kit (Part No. 80023286)
- Replacement Bag (Part No. 80023290)
- Weight 31 kg



Model	Engine	Self-Propelled	CFM	Bag Volume	Bag	Weight	Length	Width
LB352	140 cc Briggs & Stratton 500E Series™	No	743	105 ltr	Mesh Turf	31 kg	23.62" (60 cm)	20" (51 cm)

Vacuums

KV601 & KV650H (Push Model)

Part No. 883219 Part No. 883090

TKV650SPH (Self-Propelled Model)

Part No. 883100

Ideal for residential or smaller commercial property maintenance, Billy Goat's versatile 27" wide lawn and litter vac has variable height adjustment for hard surface or turf work. 12" tyres on the push unit and rear wheel drive on the self-propelled unit make operation simple even in hilly turf environments. Optimised nozzle configuration improves suction and debris flow and handles hedge clippings with ease.





TKV On-board 2" Chipper Now you can add branches to all your leaf, seed, bloom, mulch, litter and debris cleanup jobs. (Part No. 883100)



KV601 model shown with optional 4" x 8' hose kit. Ideal for cleaning between shrubs, under decks, window wells, utilities and other hard to reach areas. (Part No. 80023273)



Model	Engine	Self-Propelled	CFM	Bag Volume	Bag	Weight	Length	Width
KV601	190 cc Briggs & Stratton®	No	1700	151 ltr	Mesh w/dust skirt	51 kg	62" (158 cm)	27" (68.5 cm)
KV650H	Honda® GSV190	No	1700	151 ltr	Mesh w/dust skirt	51 kg	62" (158 cm)	27" (68.5 cm)
TKV650SPH	Honda® GSV190	Yes	1700	151 ltr	Mesh w/dust skirt	60 ka	62" (158 cm)	27" (68.5 cm)



KV Features/Benefits



Integral dust skirt keeps dust down and away from the operator.

Optional felt bag is available for better dust control (Part No. 80023274)




New single speed rear self-propelled is great in hilly turf applications. (TKV650SPH only)



5-blade serrated impeller maximises both suction and debris reduction.



Optional hose kit with telescoping handle is ergonomic and great for cleaning hard to reach places. (Part No. 80023273)



Optional liner sleeve protects housing in sandy conditions. (Part No. 80023278)



The caster kit (Part No. 80023276) and **nozzle wear kit** (Part No. 80023275) increase maneuverability and help protect your investment against wear on hard surfaces.



Optional Shredder screen kit reduces dry leaves up to 12:1 (Part No. 80023536)



Industrial Duty Vacuums

Scan the QR code to see the video or visit www.billygoat.com.





MV650H (Push Model)

Part No. 883066

HONDA

MV650SPH (Self-Propelled Model)

Part No. 883067

Ideal for larger properties, commercial lots, leaf cleanup, rental, parks, city streets, school districts, or council festival cleanup. Powerful 6-blade impeller for maximum suction and debris reduction. Picks up cans, bottles, grass clippings, litter and other debris with ease. Abrasion-resistant composite housing components reduce weight and won't rust or dent.

Model	Engine	Self-Propelled	CFM	Bag Volume	Bag	Weight	Length	Vacuum Width
MV650H	Honda® GSV190	No	2500	151 ltr	Mesh Turf	73 kg	61.5" (156 cm)	29" (74 cm)
MV650SPH	Honda® GSV190	Yes	2500	151 ltr	Mesh Turf	81 kg	61.5" (156 cm)	29" (74 cm)



MV Features/Benefits



29" gobbler door is adjustable from the operator's position for easy switching between hard surface, turf or hose applications.



Unique top fill design keeps dust out of operators' face and ensures optimum filling.



Optional top loading felt bag slides in and out on rails for easy unloading. 151 litre bag holds up to 22 kg of debris. (Part No. 80023245)



3 speed transmission (self-propelled only). Ultra-smooth and extremely durable.



Micro-adjustable height control crank style for optimum performance on turf or hard surfaces.



14" custom wheels smooth out the rough areas and make the vacuum maneuverable.



Optional disposable bag liners come in packs of 12 and eliminate the extra step of bagging your debris. (Part No. 80023242)



Optional hose kit attaches to the gobbler door. No extra plate is required to close off the air intake. Ideal for those hard to reach areas. (Part No. 80023240)



Industrial Duty Vacuums



QV900HSP



Part No. 883070

The QUIET VAC* is the world's quietest outdoor vacuum. Its unique cyclonic filtration with exclusive dust sock technology drastically reduces dust in dry conditions. The volute housing and 6-blade armour plate steel fan combination provide optimum suction power and 12 to 1 debris reduction for composting in dry conditions. Our 33" wide industrial class hard surface machine is ideal for wide area commercial, industrial and council clean-up applications such as tarmacs, schools, hospitals, parks, churches, airport pedestrian areas, resorts, city streets and sidewalks.

NOTE: The dust sock along with the center filter must be cleaned regularly and kept dry to function properly. Reduce throttle to match conditions and optimise noise and dust benefits.

Model	Engine	Self-Propelled	CFM	Bag Volume	Bag	Weight	Length	Vacuum Width
QV900HSP	270 cc Honda® GX270	Hydro Drive	1775	136 ltr	Mesh Turf	112.5 kg	63" (160 cm)	33" (83.8 cm)



QV Features/Benefits/Accessories



Best in class noise reduction the QV has the lowest dB in its class compared to other vacs on the market with equal engines at the same RPM.



State of the art cyclonic filtration innovative cyclonic filtration with exclusive electrostatic dust sock captures a high volume of dust including sub-micron particles as small as 0.1 micron. Cleans easily and is reusable.



Hydro drive transmission hydrostatic transmission with infinite forward and reverse speeds, 0 - 4.8 km/h, and shift on the fly. Negotiate tight spots quickly and with unbelievable ease.




Four-latch large capacity turf bag holds 136 litres, plus exclusive electrostatic dust sock traps dust for optimum operator and air quality protection. Comes standard. (Part No. 80023228)



Powerful suction at variable heights readily adjust height from $\frac{1}{2}$ " to 3" to accommodate any hard surface needs.




Optional collapsible on board hose kit with **ergonomic handle extension** user-friendly hose kit expands to 10'. Magnetic intake door closure provides trouble-free switching to clean hard to reach areas. (Part No. 80023223)



turns and over uneven surfaces offering quick task

completion.

For more product information, visit www.billygoat.com



Force[™] Blowers



F601V

Part No. 883079

At only 35kg, this unit is one of the lightest in its class making it $\boldsymbol{\alpha}$ breeze to roll through the yard. Ideal for residential cleanup, it costs little more than a backpack, but is 2.5 times more powerful so you'll get your work done faster with less fatigue. 1-year engine and machine limited warranties[†].



Air volume = 2.3 x backpacks*

Scan the QR code to see the F6 video or visit www.billygoat.com.





Model	Engine	Velocity	Fan	Discharge	Weight	Front Wheels	Rear Wheels	Length	Width	Height
F601V	205 cc Vanguard™	Just under 322 km/h	16" 16-blade Single Shot Composite	3.5" (9 cm)	35 kg	8" x 3" Semi-pneumatic	10" x 3" Pneumatic	43.5" (111 cm)	22" (56 cm)	26" (housing), 45" (handle)

^{*}Relative to most large backpacks
†Terms and conditions apply, see of



Force[™] Blowers



F1302H

HONDA

Part No. 883083

Professional power and productivity, this Honda® powered unit is a favourite for landscapers, seal coaters, schools, parks departments, cemeteries, resorts, street departments, golf and estate properties. 3-year limited engine warranty, 2-year limited machine warranty, 5-year limited housing warranty†.



Air volume = 6.2 x backpacks*

Scan the QR code to see the F9 -F18 video or visit



F1802V

The ultimate in volume and power! A 6" discharge with air velocity of just under 322 km/h will blow and push leaves and debris farther so you can clean up faster than with any other blower in our lineup. Most manufacturers don't even make 'em! 3-year engine warranty, 2-year machine warranty, 5-year housing warranty.



Air volume = 7 x backpacks*

Scan the QR code to see the Force Comparison video or visit www.billygoat.com.



Model	Engine	Velocity	Fan	Discharge	Weight	Front Wheels	Rear Wheels	Length	Width	Height
F1302H	389 cc Honda® GX390	Just under 322 km/h	17" 16-blade Single Shot Composite	5" (13 cm)	69 kg	10" x 3" Pneumatic	13" x 5" Pneumatic	58" (147 cm)	28.5" (72 cm)	32.5" (housing), 45" (handle)
F1802V	570 cc Vanguard ™	Just under 322 km/h	17" 16-blade Single Shot Composite	6" (15 cm)	77kg	10" x 3" Pneumatic	13" x 5" Pneumatic	58" (147 cm)	29.25" (74 cm)	32.5" (housing), 45" (handle)

^{*}Relative to most large backpacks

 $^{^\}dagger \text{Terms}$ and conditions apply, see operators' manual for details



Force™ Features/Benefits/Accessories



Patented Aim N Shoot™ directs the airflow where you need it most with fingertip control and is lockable for single positions. Air is up to 52% more concentrated vs. square steel discharge.



Smooth, rounded housing versus steel eliminates air voids for quiet output and maximum performance! Proven design won't rust or dent! Backed by a 5-year warranty[†]. (Excludes F601V.) Plus, compare against the weight of steel!



Force blowers are up to 30% lighter than other units on the market. Easier to push and far more productive.



Improved fan technology features a single shot 16 blade, closed face fan. That's twice as many blades as most manufacturers and is far lighter than steel fans and easier to start on cold days. It's standard on all models and is the ultimate in performance and reliability!



Quietest on the market the quiet operation of the Force™ compared to backpacks and steel blowers is a welcomed relief among users and in neighbourhoods.



Forward discharge improved design of soft rubber is standard on F1302H. It's a snap to install and is perfect for cleaning along walls and fences! (Optional kit on F601V model. Part No. 80023174)



Parking brake kit prevents roll-aways on inclines and saves relocation time when you need to step away. (Optional for F13 and F18 models only. Part No. 80023499)



Caster wheel kit allows more maneuverability in tight spaces for moving airflow from side to side, without off-weighting the front wheel. (Optional for F13 and F18 models only. Part No. 80023501)





STANDARD DUAL SHREDDING SYSTEM AND CUSTOMFIT' FEATURES FOR ALL UNITS! Som the OR code to see the wideo or visit www.billygout.com.

DL1301H

HONDA

Part No. 883072

Our 13 HP* features include a powerful 14.25" armour plate steel impeller and a 12-gauge steel housing with a replaceable 10-gauge steel liner. The 8" intake hose is a 10' long, clear poly helical coil. This unit can be mounted with the optional CustomFitTM hanger kit. (Sold separately, see insert)




Optional CustomFit™ Receiver Hitch well priced and easy to install and remove, the receiver hitch easily mounts to your truck and is ideal for use with Billy Goat DL13 laoders. (Part No. 812601)



Optional CustomFit* hanger kit easy to install, locks in place with 2 bolts. DL1301H, and DL1801VE models only. (Part No. 80023103)

1	Model	Engine	Hose Dimensions	Impeller	CFM	Discharge	Weight	Length	Width	Height
	DL1301H	389 cc Honda® GX390	8" x 10' (20 cm x 3 m)	4 Blades, 8 cutting points	2100 cfm	7" (18 cm)	108 kg	31" (79 cm)	27" (69 cm)	48" (122 cm)

DL Features/Benefits/Accessories



hoses - User friendly nozzle design and hose

No. 80023545)

Replacement hose Urethane portion only (Part

Dual shredding system with Piranha™ blade for extra shredding (photo 1). Replaceable steel liner and serrated blades with cutting points (photo 2) for the best reduction of ANY debris loader on the market.



Safety kill switch quick connect / release hose clamp with safety interlock.



Intake hose storage simple secure nozzle hook for convenient and efficient storage.

^{*}Measured in accordance with SAE J1349 at 3600rpm as rated by Honda®





PL1801V


Part No. 883039

This compact 18" aerator is ideal for smaller property aeration or rentals and features reciprocating cam tines that propel the unit forward and drive cores up to 2.75" deep. The unit can do up to 22,000 sq. ft. per hour, is simple to operate for homeowners, easy to steer without lifting and requires no add-on weights! The easy folding handle allows for compact transport and storage. Only 4 tines and no chains along with a no-tool removable cover make for easy maintenance.



Mod	l Engine	Tines	Tires	Weight	Height	Overall Width	Length	Core Spacing	Core Depth	Sq. Ft./Hr.
PL18	V 205cc Vanguard®	4 / 5/8" dia.	12" Semi-Pneumatic	108.8 kg	40" (101.6 cm)	24" (61 cm)	57" (144.8 cm)	3.63" x 6"	Up to 2.75"	Up to 22,000

PLUGR® Features/Benefits/Accessories




User friendly controls handle has fingertip controlled bale for engaging drive/tine with auto stop safety feature. To raise and lower tines, the tine retractor lever is comfortably top mounted.



Tensile hardened thin wall tines simple, durable screw in design makes service simple. In/out reciprocating tine motion produces less compaction on the inner surface of the hole compared to spoon designs.



One piece lift-off removable cover offers ease of maintenance. Easy-release rubberized fasteners offer quick and easy hood removal for 100% access to all components.



Reciprocating heat-treated crankshaft assembly drives tines deep into hard soils.



Easy fold handles provide compact transport and storage.

[†]Terms and conditions apply, see operators' manual for details



Outback® Brushcutter slasher

BC2600HHEU

HONDA

Part No. 883057

The Outback® Hydro brushcutter is a 26" commercial-duty walk behind slasher ideal for rough terrain, hills up to a 20-degree slope, and wet or uneven conditions. Make quick work of underbrush, berries, bramble, vines, tall grass and small trees up to 2" diameter and 6' tall – all at a rate of just under an acre of brush per hour.



	Model	Engine	Start	Cut Width	Deck	Productivity	Weight	Length	Width
В	C2600HHEU	389 cc Honda® GX390	Pull	26" (66 cm)	Floating	28,600 sq. ft/hr	144 kg	83" (211 cm)	31" (79 cm)



BC26 Hydro Features/Benefits







Pivoting deck ± 12 degree pivoting deck with proprietary return to neutral is engineered to glide over uneven terrain and deep brush. 26" wide deck with higher tip speed for improved cut quality.



Tuff Torq" hydrostatic transaxle with ETC (Enhanced Traction Control) is fully automatic, sensing when the rear wheel starts to spin, locking the wheel and giving it positive traction. Provides superior traction on hills or in wet and uneven conditions.



Intuitive drive controls & handles with padded grips is the best in class control package. Allows the user to feather in forward and reverse directly from the handles - no shifting required.



Wider tractor tyres for better grabbing and pulling power.



Rubberized rear deck trim allows for easier stump clearance in reverse.



Heavy duty blade spindle is reinforced in four directions for maximum durability and safety, so you can keep cutting in the harshest environments.




Power Rake

PR550H



Part No. 883051





Model	Engine	Depth Adj	Depth*	Reel	Productivity	Weight	Length	Width
PR550H	163 cc Honda® GX160	Infinite	(0.125" → .5") (0.3 cm → 1.3 cm)	20" Flail (51 cm)	13,200 sq.ft/hr	73.5 kg	45.5" (116 cm)	26.5" (67 cm)

‡Measured in accordance with SAE J1349 at 3600rpm as rated by Honda® *With up to an additional $\frac{1}{2}$ inch (1.3 cm) of adjustment for blade wear.



PR550H Features/Benefits/Accessories




Fold-n-Go[™] no tool, no bolt foldable handle with inside bail and padded handles. Great for comfort, storage, transport and long life.




Infinite, heavy-duty depth adjustments save on blade wear when compared to preset adjustments that may promote premature flail wear.



Premium pulleys, easy to adjust idler, and easy to change belt contribute to simple service and long life. Protected by a steel guard.



Flail reel heat treated and tempered blades stand up to heavy use.



Optional vertislicing reel is perfect for overseeding and thinning running grasses. (Part No. 80023141)



Overseeder conversion kit everything you need to convert your Power Rake into an overseeder. Includes vertislicing reel and seed box. (Part No. 80023050)



Overseeders

OS552H

POWERED by
HONDA

Part No. 883047

Comes with a 20" vertislicing delta reel that creates the ideal environment for seed to soil contact and high germination rates. Heavy-duty infinite height adjustment for precise depth adjustment gives longer blade life than preset adjustments. It features steel guards to protect bearings and pulleys, inside engagement bail and padded handle, easy adjustable idler and premium pulleys.

Scan the QR code to see the video or visit www.billygoat.com.





0S901SPH

POWERED by
HONDA

Part No. 883048

The OS901 allows you to verticut and overseed, all in one pass! Comes standard with Honda® power coupled to a self-propelled hydrostatic drive for infinite speed control that eliminates pushing and fatigue. Intuitive forward & reverse drive controls for incredibly simple operation. Its rugged design withstands the most demanding use and produces beautiful turf results.

Model	Engine	Depth Adjustment*	Seeding Width	Productivity	Weight	Length	Width
OS552H	162 cc Honda® GX160	.125" → .5" (0.3 cm → 1.3 cm)	20" slicing (51 cm)	13,200 sq.ft/hr	81.2 kg	45.5" (116 cm)	26.5" (67 cm)
OS901SPH	270cc Honda® GX270	.125" → (.5") (0.3 cm → 1.3 cm)	22" slicing (56 cm)	@3.0MPH 29,040 ft²/hour 0.67 acre/hr	146.5 kg	58.38" (148 cm)	30.75" (78 cm)

^{*}With up to an additional ½ inch (1.3cm) of adjustment for blade wear.



OS552H Features/Benefits



25 lb front mounted poly seed box with on-board customer instructions to help set drop rates for various seed. The box and agitator bar won't rust or dent – standard on the overseeder.



Heavy-duty wheels with steel rim and roller bearings stand up to the most demanding customers and applications.



Auto Drop™ system is easy to adjust, with drop rates for a variety of seeds listed in on-board instructions.



Fold-n-Go[™] no tool, no bolt foldable handle with inside bail and padded handles. Great for comfort, storage, transport and long life.

OS901SPH Features/Benefits/Accessories



Fold-n-Go[™] no tool, no bolt foldable handles are great for storage, transport and long life.



Self-propelled hydrostatic drive with intuitive forward & reverse drive controls eliminate pushing to reduce fatigue. Simple auto release switch for transport in off position.



Auto Drop™ system automatically starts and stops seed drop with reel engagement & disengagement, conserving valuable seed.



Elevated seed box prevents moisture from clogging the seed drop & provides excellent visibility. Axle driven seed agitator eliminates belts & tire-on-tire systems.



Foot pedal for operator comfort and improved blade depth and wear.



Blade design provides improved slicing, reduced thatch pick-up and longer life due to sharpened leading edge, design, attack angle and new height adjust.



Floating cutting head with an exclusively designed 22" (56 cm) slicing reel floats with contours of yards, increasing seed to soil contact & improving germination rates.



Turf Cutter

SC121H

POWERED by
HONDA

Part No. 883052

There's simply no turf cutter that's easier to use. Just set the depth, shift into gear, engage the blade, start the drive and you're off! Great for small projects and easy to transport in small trucks and SUVs. 12" cutting width and up to 1.38" deep. Make sure the ground is soft and wet before using. 3-year limited engine warranty.









SC181H Sod Cutter

HONDA

Part No. 883095

A variable speed hydrostatic transmission allows operators to match cutting speed to ground condition and also has the fastest transport speed (over 3.5 mph) of any unit on the market. Handle isolation mounts reduce vibration and fatigue. A favourite for irrigation, landscape, hardscape, sports field, flatwork, and golf customers. Honda $^{\circ}$ 163 cc engine with 3-year warranty † .

Model	Engine	Weight	Cutting Width	Cutting Depth	Length	Width	Height	Transmission
SC121H	118cc Honda® GX120	73 kg	12" (31 cm)	Maximum of 1.38" (3.5 cm)	31" (78 cm)	16.5" (42 cm)	31" (78 cm)	2 forward speeds
SC181H	163 cc Honda® GXV160	157.8 kg	18" (45.7 cm)	Maximum of 2.5" (6.35 cm)	59" (149.9 cm)	26.5" (66 cm)	36.5" (90.8 cm)	Hydro Gear RT310

†Terms and conditions apply, see operators' manual for details



SC121H Features/Benefits



Ergonomic control levers control cut and drive system.



Durable rugged frame is isolated with 6 rubber mounts for reduced vibration and smooth handling.



Cuts Turf Clearly & Evenly 12" cutting width and up to 1.38" deep.



One-Step cut adjustment changes cutting depth by moving a single lever.



Rear wheel drive geared transmission with 2 forward speeds and rear tractor tyres for added traction.

Balanced 4-point footprint for added stability & ease of use versus 3-point styles.

SC181H Features/Benefits



Set and ForgetTM blade depth adjustment to 2.5" single lever and clamp at user's operating position adjusts simply, saving time and providing precise cutting depths.



Finger tip access drive & cut controls comfortably mounted for finger-tip access versus paddle or roll throttle styles.



Unique drive wheels tough cutting conditions are easily executed as paddle style wheels clear mud and improve grip for added control.



Multiple oversized isolation mounts are designed to absorb vibration so operator completes tasks quickly, comfortably and without fatigue.



Hydro drive transmission variable speed hydrostatic drive allows user to tailor cutting speed to ground condition, maintaining turf quality and maximizing productivity. Adjustable reverse speed allows seamless maneuvering out of tight areas quickly, without damaging turf.



18" cutting blade cuts turf cleanly and evenly and up to 2.5" depth.

 $^{^\}dagger \text{Terms}$ and conditions apply, see operators' manual for details

