

# Masport®





NZ

RIDE - ON MOWER RANGE | 2020/21



MASPORT RIDE-ON RANGE  
ICON GUIDE

|                                                                                    |                                                                                                                                                                                                                                                                                                               |                                                                                     |                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | <p><b>CATCHER FULL FUNCTION</b> (two options)</p> <p><b>AUTO</b> cutting blades will automatically stop once the bag is full to avoid any over filling or clogging of the chute.</p> <p><b>MANUAL</b> Audio buzzer sounds once catcher is full. Blades will continue to work until turned off.</p>            |    | <p><b>ANTI-SCALP WHEELS</b></p> <p>Anti-scalp wheels protect both your lawn and your deck. They prevent your lawn from being scalped by the deck and blades, allowing them to roll smoothly over undulating ground. The anti-scalp wheels also protect the deck and blades from contact with undulating ground or obstacles such as driveways.</p> |
|    | <p><b>DECK DESIGN</b></p> <p>Sturdy steel cutting deck with synchronised contra rotating, high lift blades.</p> <ul style="list-style-type: none"><li>• Safety shear pins to protect belts and spindles.</li><li>• Hardened and tempered blades for increased durability.</li></ul>                           |    | <p><b>BRIGGS &amp; STRATTON V-TWIN ENGINES</b></p> <p>Powerful engine options delivering superior performance and durability.</p>                                                                                                                                                                                                                  |
|   | <p><b>OFFSET DECK DESIGN</b></p> <p>Masport offset decks are designed to have the discharge side of the deck trailing behind the other side, therefore providing full blade coverage when cutting the grass. This means all the grass is cut in one movement, without leaving uncut strips in the middle.</p> |   | <p><b>SIDE DISCHARGE AND MULCHING</b></p> <p>Can be easily converted into a mulching deck by removing the discharge chute and fitting the mulching cover, no tools required*.</p> <p><small>*Some models do not include mulch kits</small></p>                                                                                                     |
|  | <p><b>INTEGRATED MULCHING LEVER</b></p> <p>The single lever design makes it very easy when engaging or disengaging the mulching function. This can all be done without having to leave the seat of the ride-on mower.</p>                                                                                     |  | <p><b>PIVOTING FRONT AXLE</b></p> <p>The front axle pivots independently allowing more traction and control over uneven surfaces. This also makes for a smoother ride for the operator.</p>                                                                                                                                                        |
|  | <p><b>REAR DEFLECTOR</b></p> <p>There is a rear deflector accessory suitable for all S-Series lawn tractor mowers. This gives you the option of spreading the grass cuttings.</p>                                                                                                                             |  | <p><b>ELECTRIC START</b></p> <p>No pull starts, simply turn the key and go.</p>                                                                                                                                                                                                                                                                    |
|  | <p><b>HYDROSTATIC TRANSMISSION</b></p> <p>Provides an exceptionally smooth infinitely variable forward and reverse speed through a foot pedal for optimum driving control.</p>                                                                                                                                |                                                                                     |                                                                                                                                                                                                                                                                                                                                                    |

# SIDE DISCHARGE RANGE (SDR)

Side discharge and mulching

## S195 107 SD

552945

This straightforward but high quality Ride-on mower, driven by a Hydro-gear HG T2 hydrostatic transmission, provides the user with infinitely variable speed and bi-directional control, making light work of the task at hand. Equipped with a 19.5HP Briggs & Stratton engine, it delivers power effortlessly to the robust 107cm (42”) side discharge deck. The mowing deck is fitted with heavy duty high lift blades and anti-scalp wheels to deliver a neat and tidy finish each and every time.

### KEY FEATURES

- Briggs & Stratton Intek 19.5HP engine
- HydroGear T2 foot operated transmission
- Sturdy front bumper
- Speed 0-9 Km/h
- Tow hitch included
- Anti-scalp wheels








## S220 VT/107

552969

This straightforward but high quality Ride-on mower, driven by a Hydro-gear HG T2 hydrostatic transmission, provides the user with infinitely variable speed and bi-directional control, making light work of the task at hand. Equipped with a 22HP Briggs & Stratton V-Twin engine, it delivers power effortlessly to the robust 107cm (42") side discharge deck. The mowing deck is fitted with heavy duty high lift blades and anti-scalp wheels to deliver a neat and tidy finish each and every time.

### KEY FEATURES

- Briggs & Stratton Professional 22HP V-Twin engine
- HydroGear T2 foot operated transmission
- Sturdy front bumper
- Speed 0-9 Km/h
- Tow hitch included
- Anti-scalp wheels
- 1 Year commercial engine warranty



**107**  
cm deck

**22**  
HP engine





# REAR CATCHER

LEAVE NOTHING BEHIND


## R 7-65.8 HD

12748745

Small but extremely agile. The R 7-65.8 HD Rider is ideal for lush lawns in medium or winding gardens. The ergonomic controls, geared steering for optimised control and the continuously variable transmission raise this rider to a new level.

### KEY FEATURES

- Briggs & Stratton 950E engine
- Compact and smart design with easy to reach controls and anti-slip steering wheel
- Hydrostatic drive with foot pedal
- 130L catcher - full catcher audible alert
- 62cm (24") cutting deck
- Cut heights 25mm - 75mm
- Optional rear deflector



62  
cm deck

223  
cc engine


## S155 92HD

552716

A mid sized lawn tractor, designed for areas where size doesn't necessarily matter. The cutting deck measures 92cm (36") allowing it to manoeuvre between garden beds and gates with ease. This lawn tractor features the integrated mulching system which allows you to catch or mulch from the comfort of the seat.

### KEY FEATURES

- Briggs & Stratton 15.5HP Powerbuilt engine
- Integrated mulching capability
- HydroGear T2 foot operated transmission
- 300L catcher - full catcher buzzer alert
- Sturdy front bumper
- Speed 0-10 Km/h
- Tow hitch included
- Optional rear deflector
- 1 Year commercial engine warranty



92  
cm deck

15.5  
HP engine





## S220 102HD ELITE

552957

The 102cm (40") twin blades make for quick and effective mowing, suitable for most home and lifestyle blocks. The integrated mulching system is a real advantage on this machine. You can choose to mulch or catch by simply adjusting the lever.

### KEY FEATURES

- Briggs & Stratton Professional 22HP V-Twin engine
- Integrated mulching capability
- Hydrostatic Tuff Torq K46 foot operated transmission
- 320L catcher - automatic or manual catcher full indicator
- Sturdy front bumper
- Speed 0-9.5 Km/h
- Tow hitch included
- Optional rear deflector
- 1 Year commercial engine warranty




## S220 122HD

553009

The largest lawn tractor in the range. It has a heavy duty 122cm (48") cutting deck with the proven and reliable Briggs & Stratton 22HP V-Twin engine. In addition to catching and rear discharging grass, this machine can also mulch using the mulching attachment provided. This robust frame model is built to handle very large and demanding areas reliably year after year. Compare the specifications and you'll be impressed.

### KEY FEATURES

- Briggs & Stratton Professional 22HP V-Twin engine
- Integrated mulching capability
- Hydrostatic Tuff Torq K62 foot operated transmission
- 360L catcher - auto or manual full warning
- Sturdy front bumper
- Speed 0-9 Km/h
- Tow hitch included
- Optional rear deflector
- 1 Year commercial engine warranty





# MASPORT CROSSJET

2 OPTIONS FOR  
TOUGH TERRAIN

Do you want a ride-on mower that mows more than just grass and can be used on rough terrain? Are you frustrated by the lack of traction and control when operating conventional ride-on mowers, especially when conditions are slippery or the terrain is difficult? Do you feel unsafe and vulnerable when operating a ride-on mower, especially on slopes or in slippery or sandy conditions?

Masport Crossjet ride-on mowers are perfect for demanding conditions like neglected and rough terrain and where traction can be compromised, such as slopes, undulations, sandy and slippery conditions. They will cut and mulch high grass, brush, blackberry, gorse, thistles and most overgrown and out of control vegetation. The 92cm (36") cutting deck does not directly deflect cuttings from the side, therefore keeping paths, driveways, buildings, fences and gardens free from cut debris.



## CROSSJET 2WD 552596

- Briggs & Stratton Vanguard 20HP V-Twin engine
- Tuff Torq K-62M rear transmission
- Speed forward 9 Km/h

## CROSSJET 4WD 553162

- Briggs & Stratton Vanguard 23HP V-Twin engine
- Tuff Torq K-664 rear transmission
- Kanzaki KXH 10 front transmission
- Fan assisted hydrostatic transmission cooler
- Speed forward 9 Km/h

### BOTH MODELS FEATURE

- 92cm (36") cutting deck
- Heavy duty blade carrier with 2 swing back blades
- 19L fuel tank
- Sturdy front & rear bumper
- Diff-lock
- Cruise control (mechanical)
- Hour meter
- Steering control knob
- Halogen & LED lights
- Electromagnetic deck engagement
- Comfort seat
- 40cm (16") front & 51cm (20") rear wheels with V-shaped tread
- Dimensions - 231 x 105 x 151 (294kg 2wd), (346kg 4wd)
- 3 Year engine warranty



### TRANSMISSION COOLER

The fan assisted hydrostatic transmission cooler dissipates heat, lowering the oils operating temperature, thus improving performance, reducing maintenance costs and extending transmission life

# MASPORT GOLIATH

TACKLE TOUGH  
TERRAIN WITH EASE

The 4WD Masport Goliath Ride-on tractor equipped with a hand operated diff lock, offers the user superior unsurpassed traction. Featuring an ISO certified Roll Over Protection System (ROPS), it provides the user with increased safety and peace of mind. It is designed to operate in all seasons and in most conditions where traction can be compromised such as on slopes, undulations, sandy and wet conditions.

Fitted with the 110cm (43"), 8 gauge heavy duty mulching deck, featuring 3 blade spindles operating 6 blades, the Goliath will cut and mulch tall grass with ease, leaving a neat and tidy finish. Plus, there is a model with a 92cm (36") slasher deck which will cut and mulch high grass, brush, blackberry, gorse, thistles and most overgrown and out of control vegetation.

All this versatility, combined with the 24HP Kawasaki engine, makes this one of the top performing lawn tractors available.



## GOLIATH 4WD 92HD 553154


- Kawasaki 24HP FS730V engine
- Brushcutter Deck
- Heavy duty blade carrier with 2 swing back blades
- 92cm (36") cut width
- Dimensions - 235 x 104 x 174 (390kg)

## GOLIATH 4WD 110HD 553069

- Kawasaki 24HP FS730V engine
- Mulching Deck
- 3 blade spindles operating 6 blades
- 110cm (43") cut width
- Dimensions - 235 x 116 x 174 (398kg)

### BOTH MODELS FEATURE

- Rear Transmission - Tuff Torq K-664
- Front Transmission - Kanzaki KXH 10
- Fan assisted hydrostatic transmission cooler
- Halogen & LED lights
- Speed forward - 9.5 Km/h
- 40cm (16") front & 51cm (20") rear wheels with V-shaped tread
- Tough front & rear bumper with side rails
- Roll Over Protection System
- Diff-lock
- Cruise control
- Hour meter
- Steering control knob
- Electromagnetic deck engagement
- 16L fuel tank
- Comfort seat with arm rests
- 3 Year engine warranty





---

**TACKLE  
TOUGH  
TERRAIN  
WITH  
EASE**

---





MASPORT RIDE-ON RANGE

COMPARISON CHART

|                     | SIDE DISCHARGE                          |                                                   | REAR CATCHER                                      |                                                   |                                                                |                                                                |
|---------------------|-----------------------------------------|---------------------------------------------------|---------------------------------------------------|---------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|
|                     | \$195 107<br>(552945)                   | \$220 VT/107<br>(552969)                          | R7 - 65.8HD<br>(12748745)                         | \$155 92HD<br>(552716)                            | \$220 102HD ELITE<br>(552957)                                  | \$220 122HD<br>(553009)                                        |
| ENGINE              | Briggs & Stratton Intek 19.5HP engine   | Briggs & Stratton Professional 22HP V-Twin engine | Briggs & Stratton 950E                            | Briggs & Stratton 15.5HP Powerbuilt engine        | Briggs & Stratton Professional 22HP V-Twin engine              | Briggs & Stratton Professional 22HP V-Twin engine              |
| DECK WIDTH          | 42" (107cm)                             | 42" (107cm)                                       | 24" (62 cm)                                       | 36" (92cm)                                        | 40" (102cm) Steel deck                                         | 48" (122cm)                                                    |
| CUTTING SYSTEM      | Twin blades                             | Twin blades                                       | Single blade                                      | High lift twin blades                             | High lift twin blades                                          | High lift twin blades                                          |
| CUTTING HEIGHTS     | 30-90mm                                 | 30-90mm                                           | 25-75mm                                           | 30-90mm                                           | 25-85mm                                                        | 25-85mm                                                        |
| DECK ENGAGEMENT     | Electromagnetic                         | Electromagnetic                                   | Manual                                            | Electromagnetic                                   | Electromagnetic                                                | Electromagnetic                                                |
| CATCHER             |                                         |                                                   | 130L - Catcher full warning buzzer - manual empty | 300L - Catcher full warning buzzer - manual empty | 320L - Automatic or manual catcher full warning - manual empty | 360L - Automatic or manual catcher full warning - manual empty |
| MULCHING            | Optional                                | Optional                                          |                                                   | ●                                                 | ●                                                              | ●                                                              |
| TRANSMISSION        | Hydrostatic HydroGear T2, foot operated | Hydrostatic HydroGear T2, foot operated           | Hydrostatic HydroGear T1, foot operated           | Hydrostatic HydroGear T2, foot operated           | Hydrostatic Tuff Torq K46, foot operated                       | Hydrostatic Tuff Torq K62, foot operated                       |
| TRANSMISSION COOLER |                                         |                                                   |                                                   |                                                   |                                                                |                                                                |
| LIGHTS              | ●                                       | ●                                                 |                                                   | ●                                                 | ●                                                              | ●                                                              |
| FORWARD SPEED       | 0-9 Km/h                                | 0-9 Km/h                                          | 0-6.2Km/h                                         | 0-10 Km/h                                         | 0-9.5 Km/h                                                     | 0-9 Km/h                                                       |
| SEATING             | Deluxe                                  | Deluxe                                            | Comfort                                           | Comfort                                           | Deluxe                                                         | Deluxe                                                         |
| FUEL TANK           | 7 Litre                                 | 7 Litre                                           | 1.1 Litre                                         | 7 Litre                                           | 12 Litre                                                       | 12 Litre                                                       |
| BUMPER & ROLL BAR   | Sturdy front bumper                     | Sturdy front bumper                               |                                                   | Sturdy front bumper                               | Sturdy front bumper                                            | Sturdy front bumper                                            |
| STEERING WHEEL      | Standard                                | Standard                                          | Easy turn steering                                | Easy turn steering                                | Easy turn steering                                             | Easy turn steering                                             |
| HOUR METER          | ●                                       | ●                                                 |                                                   | ●                                                 | ●                                                              | ●                                                              |
| WARRANTY            | 24 Months                               | 24 Months                                         | 24 Months                                         | 24 Months                                         | 24 Months                                                      | 24 Months                                                      |
| OVERALL DIMENSIONS  | 195 x 142 x 114 - (199kg)               | 195 x 142 x 114 - (199kg)                         | 117 x 78 x 183 - (125kg)                          | 242 x 95 x 112 - (219kg)                          | 248 x 106 x 130 - (271kg)                                      | 258 x 106 x 130 - (293kg)                                      |
| WHEELS              | Front 15x6 & rear 20x10                 | Front 15x6 & rear 20x10                           | Front 11x4.0-6 Rear 13x5.0-6                      | Front 15x6 Rear 18x8.5                            | Front 16x6.5 & rear 20x10                                      | Front 16x6.5 & rear 20x10                                      |

|                     | CROSSJET                                      |                                                                                  | GOLIATH                                                                          |
|---------------------|-----------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|                     | CROSSJET 2WD<br>(552596)                      | CROSSJET 4WD<br>(553162)                                                         | GOLIATH<br>(553154) (553069)                                                     |
| ENGINE              | Briggs & Stratton Vanguard 20HP V-Twin engine | Briggs & Stratton Vanguard 23HP V-Twin engine                                    | Kawasaki 24HP FS730V engine                                                      |
| DECK WIDTH          | 36" (92cm) heavy duty steel deck              | 36" (92cm) heavy duty steel deck                                                 | 36" (92cm) brushcutter deck or 43" (110cm) mulching deck                         |
| CUTTING SYSTEM      | HD twin flail on solid bar                    | HD twin flail on solid bar                                                       | HD twin flail on solid bar or 3x dual blade spindles                             |
| CUTTING HEIGHTS     | 50-110mm                                      | 50-110mm                                                                         | 45-135mm                                                                         |
| DECK ENGAGEMENT     | Electromagnetic                               | Electromagnetic                                                                  | Electromagnetic                                                                  |
| CATCHER             |                                               |                                                                                  |                                                                                  |
| MULCHING            | ●                                             | ●                                                                                | ●                                                                                |
| TRANSMISSION        | Tuff Torq K-62M hydrostatic transaxle         | Rear - Tuff Torq K-664 hydrostatic transaxle<br>Front - Kanzaki KXH 10 transaxle | Rear - Tuff Torq K-664 hydrostatic transaxle<br>Front - Kanzaki KXH 10 transaxle |
| TRANSMISSION COOLER |                                               | ●                                                                                | ●                                                                                |
| LIGHTS              | ●                                             | ●                                                                                | ●                                                                                |
| FORWARD SPEED       | 0-9 Km/h                                      | 0-9 Km/h                                                                         | 0-9.5 Km/h                                                                       |
| SEATING             | Comfort seat                                  | Comfort seat                                                                     | Comfort seat                                                                     |
| FUEL TANK           | 19 Litre                                      | 19 Litre                                                                         | 16 Litre                                                                         |
| BUMPER & ROLL BAR   | Bumper and roll bar                           | Bumper and roll bar                                                              | Bumper and certified ROPS                                                        |
| STEERING WHEEL      | Adjustable Easy turn steering ball            | Adjustable Easy turn steering ball                                               | Adjustable Easy turn steering ball                                               |
| HOUR METER          | ●                                             | ●                                                                                | ●                                                                                |
| WARRANTY            | 24 Months<br>3 year engine                    | 24 Months<br>3 year engine                                                       | 24 Months<br>3 year engine                                                       |
| OVERALL DIMENSIONS  | 235 x 104 x 174 - (293kg)                     | 235 x 104 x 174 - (346kg)                                                        | 553154: 235 x 104 x 174 - (390kg)<br>553069: 235 x 116 x 174 - (398kg)           |
| WHEELS              | V-shaped tread front 16" and rear 20"         | V-shaped tread front 16" and rear 20"                                            | V-shaped tread front 16" and rear 20"                                            |





**Warranty and Disclaimer Info:**

All Masport products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models. This brochure supersedes all previous Masport Ride-On brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Masport is constantly improving and updating its product range therefore model specifications may vary and should be checked at time of purchase.

**Masport Limited New Zealand**  
**320 Ti Rakau Drive, East Tamaki, Auckland 2013**

PO Box 14-349, Panmure, Auckland 1741  
E: [sales@masport.co.nz](mailto:sales@masport.co.nz)  
P: 0800 MASPORT  
F: 0508 570 570

**[www.masport.co.nz](http://www.masport.co.nz)**

**Available from:**

---